



19 634163

cgc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Thomas M. Graettinger

Examiner: Abraham, Fetsum

Patent No.: 7,230,292

Group Art Unit: 2826

Issue Date: June 12, 2007

Docket No: 303.841US1

Title: STUD ELECTRODE AND PROCESS FOR MAKING SAME

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

We are transmitting herewith the attached:

- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer No: 21186


By: 


Name: Timothy B. Clise

Reg. No. 40,957

TBC/cmb

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 10 day of June 2007.


Name


Signature

Certificate
JUN 29 2007
of Correction

JUN 29 2007



Patent 7,230,292

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,230,292

Docket No: 303.841US1

Issue Date: June 12, 2007

Patentee: Thomas M. Graettinger

Customer No.: 21186

Confirmation No.: 6344

Title STUD ELECTRODE AND PROCESS FOR MAKING SAME

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the error is that of the Patent Office, it is believed that no fee is due.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted

THOMAS M. GRAETTINGER

By his Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6900

Date:

25 June '07

By:

Timothy B. Clise
Reg. No: 40,957
TBC/cmb

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 26 day of June 2007

Name

CHRIS BARTV

Signature

CR

JUN 29 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,230,292

Page (1) of 1

DATED : June 12, 2007

INVENTOR(S) : Graettinger

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 18, line 55 (Approx.), in Claim 20, delete "tile" and insert - - the - -, therefor.

In column 18, line 61 (Approx.), in Claim 22, after "comprising" delete "," and insert - - : - -, therefor.

In column 20, line 58 (Approx.), in Claim 47, delete "inteiface" and insert - - interface - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.841US1

PATENT NO. 7,230,292

No. of additional copies

➡

JUN 29 2007

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,230,292

Page (1) of 1

DATED : June 12, 2007

INVENTOR(S) : Graettinger

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 18, line 55 (Approx.), in Claim 20, delete "tile" and insert - - the - -, therefor.

In column 18, line 61 (Approx.), in Claim 22, after "comprising" delete "," and insert - - : - -, therefor.

In column 20, line 58 (Approx.), in Claim 47, delete "inteiface" and insert - - interface - -, therefor.

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.841US1

PATENT NO. 7,230,292

No. of additional copies

 _____

JUN 29 2007